EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/593905	US-PGPUB; USPAT	OR	OFF	2010/01/22 16:37
S2	8882	(369/44.11 369/44.25 369/44.27-44.33 369/47.36 369/47.38-47.39 369/47.44-47.45 369/47.49 369/47.55 369/53.11-53.14 369/53.19-53.23 369/53.25-53.28 369/53.3 369/53.38-53.39).ccls.	US-PGPUB; USPAT	OR	OFF	2010/01/22 17:40
S3	2	10/342017	US-PGPUB; USPAT	OR	OFF	2010/01/22 17:50
S4	47	S2 and (warp$4 deflect$4 chip$4 waffl$3 uneven$6 fluctuat$4 displac$6 flutter$6) near (dis?$2 carrier$1 medi$4) same (stop$6 protru$6 protuber$5 project$4 protect$5)	US-PGPUB; USPAT	OR	OFF	2010/01/22 18:19
S5	96	S2 and (warp$4 deflect$4 chip$4 waffl$3 uneven$6 fluctuat$4 displac$6 flutter$6) near (dis?$2 carrier$1 medi$4) same (limit$6 stop$6 protru$6 protuber$5 project$4 protect$5 (contact$5 collis$5 collid$5 impact$4) near2 (prevent$5 inhibit$5 prohibit$5 arrest$6 avert$5 avoid$5 block$5 halt$5 hamper$5 imped$5 intercept$5 interdict$5 interrupt$5 repress$5 restrain$5 restrict$5 retard$5 stop$6))	US-PGPUB; USPAT	OR	OFF	2010/01/22 18:30

S6	7	("20030108708" | "4710908" | "4891798" | "5093798" | "6567357" | "6842414" | "6985419").PN. OR ("7239582").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/01/25 11:47
S7	8882	(369/44.11 369/44.25 369/44.27-44.33 369/47.36 369/47.38-47.39 369/47.44-47.45 369/47.49 369/47.55 369/53.11-53.14 369/53.19-53.23 369/53.25-53.28 369/53.3 369/53.38-53.39).ccls.	US-PGPUB; USPAT	OR	OFF	2010/01/25 13:45
S8	109	S7 and (warp$4 deflect$4 bend$5 bent$2 deform$6 chip$4 waffl$3 uneven$6 fluctuat$4 displac$6 flutter$6) near (dis?$2 carrier$1 medi$4) same (limit$6 stop$6 protru$6 protuber$5 project$4 protect$5 (contact$5 collis$5 collid$5 impact$4) near2 (prevent$5 inhibit$5 prohibit$5 arrest$6 avert$5 avoid$5 block$5 halt$5 hamper$5 imped$5 intercept$5 interdict$5 interrupt$5 repress$5 restrain$5 restrict$5 retard$5 stop$6))	US-PGPUB; USPAT	OR	OFF	2010/01/25 13:45
S9	13	("20010028628" "20020145822" "20030016454" "20030137917" "5243584" "5467237" "5675452" "5943312" "6625105" "6826018" "7073183" "7092174" "20020075773").pn.	US-PGPUB; USPAT	OR	OFF	2010/01/25 14:24

S10	15	S7 and (warp$4 deflect$4 bend$5 bent$2 deform$6 chip$4 waffl$3 uneven$6 fluctuat$4 displac$6 flutter$6 sag$4 tilt$5) near2 (dis?$2 surfac$4 shap$4 substrate$1 carrier$1 medi$4) same (limit$6 control$6) near2 (distanc$5 far near$4 height$1)	US-PGPUB; USPAT	OR	OFF	2010/01/25 14:29
S11	54009	"369".clas.	US-PGPUB; USPAT	OR	OFF	2010/01/25 14:30
S12	52	S11 and (warp$4 deflect$4 bend$5 bent$2 deform$6 chip$4 waffl$3 uneven$6 fluctuat$4 displac$6 flutter$6 sag$4 tilt$5) near2 (dis?$2 surfac$4 shap$4 substrate$1 carrier$1 medi$4) same (limit$6 control$6) near2 (distanc$5 far near$4 height$1)	US-PGPUB; USPAT	OR	OFF	2010/01/25 14:30
S13	6741	"720".clas.	US-PGPUB; USPAT	OR	OFF	2010/01/25 14:31
S14	14	S13 and (warp$4 deflect$4 bend$5 bent$2 deform$6 chip$4 waffl$3 uneven$6 fluctuat$4 displac$6 flutter$6 sag$4 tilt$5) near2 (dis?$2 surfac$4 shap$4 substrate$1 carrier$1 medi$4) same (limit$6 control$6) near2 (distanc$5 far near$4 height$1)	US-PGPUB; USPAT	OR	OFF	2010/01/25 14:31
S15	200	S11 and (warp$4 deflect$4 bend$5 bent$2 deform$6 chip$4 waffl$3 uneven$6 fluctuat$4 displac$6 flutter$6 sag$4 tilt$5) near2 (dis?$2 surfac$4 shap$4 substrate$1 carrier$1 medi$4) and (limit$6 confin$6 restrict$5 bound$5 cap$4 delimit$7 restrain$5 control$6) near2 (distanc$5 far	US-PGPUB; USPAT	OR	OFF	2010/01/25 15:34

		near$4 height$1) near3 (object$3 condens$5 lens$2)					
S16	43	S11 and (warp$4 deflect $4 bend$5 bent$2 deform$6 chip$4 waffl $3 uneven$6 fluctuat$4 displac$6 flutter$6 sag $4 tilt$5) with (limit$6 confin$6 restrict$5 bound$5 cap$4 delimit $7 restrain$5 control$6) near2 (distanc$5 far near$4 height$1) near3 (object$3 condens$5 lens$2)	US-PGPUB; USPAT	OR	OFF	2010/01/25 15:47
S17	1995	S7 and (object$3 condens$5 lens$2) with (limit$6 stop$6 protru $6 protuber$5 project $4 protect$5 (contact$5 collis$5 collid$5 impact $4) near2 (prevent$5 inhibit$5 prohibit$5 arrest$6 avert$5 avoid $5 block$5 halt$5 hamper$5 imped$5 intercept$5 interdict$5 interrupt$5 repress$5 restrain$5 restrict$5 retard$5 stop$6))	US-PGPUB; USPAT	OR	OFF	2010/01/25 15:50
S18	656	S7 and (object$3 condens$5) near lens$2 with (limit$6 stop$6 protru$6 protuber$5 project$4 protect$5 (contact$5 collis$5 collid $5 impact$4) near2 (prevent$5 inhibit$5 prohibit$5 arrest$6 avert $5 avoid$5 block$5 halt $5 hamper$5 imped$5 intercept$5 interdict$5 interrupt$5 repress$5 restrain$5 restrict$5 retard$5 stop$6)) with (dis?$2 carrier$1 medi $4)	US-PGPUB; USPAT	OR	OFF	2010/01/25 15:53

S19	214	S7 and (object$3 condens$5) near lens$2 with (limit$6 stop$6 protru$6 protuber$5 project$4 protect$5 (contact$5 collis$5 collid $5 impact$4) near2 (prevent$5 inhibit$5 prohibit$5 arrest$6 avert $5 avoid$5 block$5 halt $5 hamper$5 imped$5 intercept$5 interdict$5 interrupt$5 repress$5 restrain$5 restrict$5 retard$5 stop$6)) with (dis?$2 carrier$1 medi $4) with limit$	US-PGPUB; USPAT	OR	OFF	2010/01/25 15:55
S20	25	S7 and (object$3 condens$5) near lens$2 with (stop$6 protru$6 protuber$5 project$4 protect$5 (contact$5 collis$5 collid$5 impact $4) near2 (prevent$5 inhibit$5 prohibit$5 arrest$6 avert$5 avoid $5 block$5 halt$5 hamper$5 imped$5 intercept$5 interdict$5 interrupt$5 repress$5 restrain$5 restrict$5 retard$5 stop$6)) with (dis?$2 carrier$1 medi $4) with limit$	US-PGPUB; USPAT	OR	OFF	2010/01/25 16:23
S21	1	"6246647".pn. and (warp$4 deflect$4 bend $5 bent$2 deform$6 chip$4 waffl$3 uneven $6 fluctuat$4 displac$6 flutter$6)	US-PGPUB; USPAT	OR	OFF	2010/01/25 16:30
S22	1	"20050162999"	DERWENT	OR	OFF	2010/01/25 17:14
S23	4	("5970032" | "6381201" | "6388963" | "6633522").PN. OR ("7116609").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/01/25 17:23

S24	19	S7 and (warp$4 deflect$4 bend$5 bent$2 deform$6 chip$4 waffl$3 uneven$6 fluctuat$4 displac$6 flutter$6 sag$4 tilt$5) near2 (dis?$2 surfac$4 shap$4 substrate$1 carrier$1 medi$4) with (before prior) near (record$3 writ$3 burn$3 read$3 reproduc$5)	US-PGPUB; USPAT	OR	OFF	2010/01/25 17:52
S25	40	S7 and (warp$4 deflect$4 bend$5 bent$2 deform$6 chip$4 waffl$3 uneven$6 fluctuat$4 displac$6 flutter$6 sag$4 tilt$5) near2 (dis?$2 surfac$4 shap$4 substrate$1 carrier$1 medi$4) same (before prior) near (record$3 writ$3 burn$3 read$3 reproduc$5)	US-PGPUB; USPAT	OR	OFF	2010/01/25 17:59
S26	565	S7 and (measur$6 calculat$4 obtain$3 determin$6) with (warp$4 deflect$4 bend$5 bent$2 deform$6 chip$4 waffl$3 uneven$6 fluctuat$4 displac$6 flutter$6 sag$4 tilt$5) near2 (dis?$2 surfac$4 shap$4 substrate$1 carrier$1 medi$4)	US-PGPUB; USPAT	OR	OFF	2010/01/25 18:04
S27	29	S7 and (measur$6 calculat$4 obtain$3 determin$6) with (warp$4 deflect$4 bend$5 bent$2 deform$6 chip$4 waffl$3 uneven$6 fluctuat$4 displac$6 flutter$6 sag$4 tilt$5) near2 (dis?$2 surfac$4 shap$4 substrate$1 carrier$1 medi$4) with limit$	US-PGPUB; USPAT	OR	OFF	2010/01/25 18:05

S28	23	S7 and (measur$6 calculat$4 obtain$3 determin$6) with (warp$4 deflect$4 bend$5 bent$2 deform$6 chip$4 waffl$3 uneven$6 fluctuat$4 displac$6 flutter$6 sag$4) near2 (dis?$2 surfac$4 shap$4 substrate$1 carrier$1 medi$4) with limit$	US-PGPUB; USPAT	OR	OFF	2010/01/25 18:13
S29	100	S7 and (measur$6 calculat$4 obtain$3 determin$6) near3 (warp$4 deflect$4 bend$5 bent$2 deform$6 chip$4 waffl$3 uneven$6 fluctuat$4 displac$6 flutter$6 sag$4) near2 (dis?$2 surfac$4 shap$4 substrate$1 carrier$1 medi$4)	US-PGPUB; USPAT	OR	OFF	2010/01/25 18:17
S30	8886	(369/44.11 369/44.25 369/44.27-44.33 369/47.36 369/47.38-47.39 369/47.44-47.45 369/47.49 369/47.55 369/53.11-53.14 369/53.19-53.23 369/53.25-53.28 369/53.3 369/53.38-53.39).ccls.	US-PGPUB; USPAT	OR	OFF	2010/01/26 12:01
S31	24	S30 and (measur$6 calculat$4 obtain$3 determin$6) with (warp$4 deflect$4 bend$5 bent$2 deform$6 chip$4 waffl$3 uneven$6 fluctuat$4 displac$6 flutter$6 sag$4) near2 (dis?$2 surfac$4 shap$4 substrate$1 carrier$1 medi$4) with current$1	US-PGPUB; USPAT	OR	OFF	2010/01/26 12:01
S32	93	720/659.ccls.	US-PGPUB; USPAT	OR	OFF	2010/01/26 12:15
S33	28	720/660.ccls.	US-PGPUB; USPAT	OR	OFF	2010/01/26 12:15
S34	46	720/671.ccls.	US-PGPUB; USPAT	OR	OFF	2010/01/26 12:15

S35	5	("5150338" | "5615196" | "6430143" | "6445674" | "7103895"). PN. OR ("7526781"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/01/26 12:27
S36	4	("20010019534" | "20020060974").PN. OR ("6857125").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/01/26 12:46
S37	1607	(S30 S32 S33 S34) and (control$6 actuat$5) near3 (limit$6 stop$6 protru$6 protuber$5 project$4 protect$5 (contact$5 collis$5 collid$5 impact$4) near2 (prevent$5 inhibit$5 prohibit$5 arrest$6 avert$5 avoid$5 block$5 halt$5 hamper$5 imped$5 intercept$5 interdict$5 interrupt$5 repress$5 restrain$5 restrict$5 retard$5 stop$6))	US-PGPUB; USPAT	OR	OFF	2010/01/26 12:57
S38	3195	g11b$.ipc. and (control$6 actuat$5) near3 (limit$6 stop$6 protru$6 protuber$5 project$4 protect$5 (contact$5 collis$5 collid$5 impact$4) near2 (prevent$5 inhibit$5 prohibit$5 arrest$6 avert$5 avoid$5 block$5 halt$5 hamper$5 imped$5 intercept$5 interdict$5 interrupt$5 repress$5 restrain$5 restrict$5 retard$5 stop$6))	FPRS; EPO; JPO; DERWENT	OR	OFF	2010/01/26 12:57
S39	2292	g11b$.ipc. and (control$6 actuat$5) near3 (stop$6 (limit$6 protru$6 protuber$5 project$4 protect$5) near (element$1 member$1 portion$1 part$1) (contact$5 collis$5 collid$5 impact$4) near2 (prevent$5 inhibit$5 prohibit$5 arrest$6 avert$5 avoid$5 block$5 halt$5 hamper$5 imped$5 intercept$5 interdict$5 interrupt$5 repress$5	FPRS; EPO; JPO; DERWENT	OR	OFF	2010/01/26 12:58

		restrain$5 restrict$5 retard$5 stop$6))				
S40	348	g11b$.ipc. and (control $6 near (position$4 location$1 distanc$4) actuat$5) near3 (stop$6 (limit$6 protru$6 protuber$5 project$4 protect$5) near (element$1 member$1 portion$1 part$1) (contact$5 collis$5 collid $5 impact$4) near2 (prevent$5 inhibit$5 prohibit$5 arrest$6 avert $5 avoid$5 block$5 halt $5 hamper$5 imped$5 intercept$5 interdict$5 interrupt$5 repress$5 restrain$5 restrict$5 retard$5 stop$6))	FPRS; EPO; JPO; DERWENT	OR	OFF	2010/01/26 12:59
S41	329	g11b$.ipc. and (control $6 near (position$4 location$1 distanc$4) actuat$5) near3 (stop$6 (limit$6 protru$6 protuber$5 project$4 protect$5 (contact$5 collis$5 collid$5 impact $4) near2 (prevent$5 inhibit$5 prohibit$5 arrest$6 avert$5 avoid $5 block$5 halt$5 hamper$5 imped$5 intercept$5 interdict$5 interrupt$5 repress$5 restrain$5 restrict$5 retard$5 stop$6)) near (element$1 member$1 portion$1 part$1))	FPRS; EPO; JPO; DERWENT	OR	OFF	2010/01/26 13:01
S42	183	(S30 S32 S33 S34) and (control$6 near (position $4 location$1 distanc $4) actuat$5) near3 (stop$6 (limit$6 protru $6 protuber$5 project $4 protect$5 (contact$5 collis$5 collid$5 impact $4) near2 (prevent$5 inhibit$5 prohibit$5 arrest$6 avert$5 avoid $5 block$5 halt$5 hamper$5 imped$5 intercept$5 interdict$5	US-PGPUB; USPAT	OR	OFF	2010/01/26 13:02

		interrupt$5 repress$5 restrain$5 restrict$5 retard$5 stop$6)) near (element$1 member$1 portion$1 part$1))				
S43	32	(S30 S32 S33 S34) and (control$6 near (position $4 location$1 distanc $4) actuat$5) near3 (stop$6 (limit$6 protru $6 protuber$5 project $4 protect$5 (contact$5 collis$5 collid$5 impact $4) near2 (prevent$5 inhibit$5 prohibit$5 arrest$6 avert$5 avoid $5 block$5 halt$5 hamper$5 imped$5 intercept$5 interdict$5 interrupt$5 repress$5 restrain$5 restrict$5 retard$5 stop$6)) near (element$1 member$1 portion$1 part$1)) with lens$2	US-PGPUB; USPAT	OR	OFF	2010/01/26 13:04
S44	16	g11b$.ipc. and (control $6 near (position$4 location$1 distanc$4) actuat$5) near3 (stop$6 (limit$6 protru$6 protuber$5 project$4 protect$5 (contact$5 collis$5 collid$5 impact $4) near2 (prevent$5 inhibit$5 prohibit$5 arrest$6 avert$5 avoid $5 block$5 halt$5 hamper$5 imped$5 intercept$5 interdict$5 interrupt$5 repress$5 restrain$5 restrict$5 retard$5 stop$6)) near (element$1 member$1 portion$1 part$1)) with lens$2	FPRS; EPO; JPO; DERWENT	OR	OFF	2010/01/26 13:05
S45	15	(taichi near akiba).in.	US-PGPUB; USPAT	OR	OFF	2010/01/26 13:17

EAST Search History (Interference)

< This search history is empty>

1/26/2010 1:22:00 PM

C:\ Documents and Settings\ ndanielsen\ My Documents\ EAST\ Workspaces\ 10-593905 a.wsp